ATTIX 30 & 50 - WHY COMPROMISE Easy handling, Easy maintenance







The perfect solution for professionals on the move.

The ATTIX 30 is the new and compact generation of the Attix series by Nilfisk ALTO - representing a new possibility of achieving superior suction power in a durable and flexible wet/dry machine.

Plus, the AutoOnOff socket on the AS/E models allows the Attix 30 to be used in conjunction with electric power tools, and the MultiFit accessory system gives the ultimate flexibility for different tasks.

Constant high suction performance

- Push&Clean technology for fast and simple filter cleaning.

If you are working with fine dust, you are familiar with the dreaded task of cleaning clogged filter cartridges to restore normal suction performance.

With Push & Clean, all you have to do to clean the filter is block the inlet fitting or the hose, and push and release the filter cleaning button. Powerful air pulses will clean the filter gently. The dirt is blasted off the filter and the suction performance is high again - you are back to work in no time.



Ergonomic and sturdy grip for easy transport and cable storage.



Improved accessory storage and tool deposit.

ATTIX 30

- superior suction power in a compact and flexible design



Attix 30

- Compact, ergonomic, and powerfulPush & CleanWashable PET fleece filter

- Silent Power8 gallon container
- MultiFit accessory systemHEPA filter model available



Attix 30 AS/E

- Compact, ergonomic, and powerfulPush & CleanWashable PET fleece filter

- Silent Power
- 8 gallon container
- MultiFit accessory system
 Auto Start for Electric tools
- Speed Control

TECHNICAL DATA	ATTIX 30	ATTIX 30 HEPA	ATTIX 30 AS/E	
Voltage / Frequency, V/Hz	120/60	120/60	120/60	
Power, W	1000	1000	1000	
Max. Air Flow, cfm	135	135	135	
Max. Waterlift, in. H2O	92	92	92	
Noise Level, dB(A)*	59	59	59	
Container Volume, liters/gal.	30/8	30/8	30/8	
L x W x H, inches	18x15x23	18x15x23	18x15x23	
Shipping Weight, pounds	32	32	34	
Electrical Approval *at working distance of 3 meters	ETL-C	ETL-C	ETL-C	
Max. Power (tool outlet), watts	N/A	N/A	600	
Standard Features				
Accessory/Tool Storage	Yes	Yes	Yes	
Antistatic Hose	No	No	Yes	
Cable Wrap	Yes	Yes	Yes	
Filter Cleaning System	Push&Clean	Push&Clean	Push&Clean	
SoftStart	No	No	Yes	
Speed Control	No	No	Yes	
Electric Tool Start	No	No	Yes	
Standard Accessories				
Hose (dia x length), in. x ft.	1.5 x 10	1.5 x 10	1.25 x 16	
Curved Wand	Chrome	Chrome	Chrome	
Extension Tube-2 pc.	Chrome	Chrome	Chrome	
Floor Nozzle - Combi	Yes	Yes	Yes	
Metal Floor Nozzle	Optional	Optional	Optional	
Crevice Nozzle	Yes	Yes	Yes	
Brush Nozzle	Yes	Yes	Yes	
Universal Nozzle	Yes	Yes	Yes	
Tool Adapter	Optional	Optional	Yes	
Filter Cartridge - Fleece	Yes	No	Yes	
HEPA Filter	Optional	Yes	Optional	
1 Filter Bag in can	Yes	Yes	Yes	
Pneumatic Tool Start	N/A	N/A	Optional	
Item Number	302004229	900130	302004230	





When you need container volume!

The ATTIX 50 is the solution for the demanding user with a high frequency of cleaning. User-friendly operation and functional design ensures better performance and reliability, with wet and dry capabilities.

The ATTIX 50 series gives you the possibility to choose between the XtremeClean filter cleaning system and the Push & Clean filter cleaning system, Auto Start for electrical and pneumatic power tools (AS/E and AS/PE models), anti-static capability, and MultiFit for all accessories.

XtremeClean is setting new standards.

Compact design and high performance are key features in the XtremeClean technology, used on the ATTIX 50 series. With the ambition of setting new standards, the two curved flat nanotechnology filters maximize the container volume and improve efficiency even more.

A servo motor controlled Y-FLAP ensures precise reversed air flow and prevents power loss during operation.

Start the vacuum - the filter is immediately cleaned automatically and every 20 seconds, while you work! There is no need to interrupt your work to clean the filter.

You concentrate on your task, and XtremeClean will take care of the filter cleaning.



Fleece bag now available!

ATTIX 50

- superior suction power and new innovative features



ATTIX 50

- Push & CleanWashable PET fleece filterSilent Power

- Stient Power
 12 gallon container
 Accessory holder
 MultiFit accessory system
 HEPA filter model available



ATTIX 50 AS/E

- Push & Clean
- Washable PET fleece filter
- Silent Power
- 12 gallon container volume
- Accessory holder
 Auto Start for Electric tools
- Speed Control
- MultiFit accessory system



- ATTIX 50 AS/E XC

 XtremeClean

 Washable fiber nanofilter

 Silent Power

- Silent Power
 12 gallon container
 Accessory holder
 Auto Start for Electric tools
 Speed control
 MultiFit accessory system



ATTIX 50 AS/PE XC

- XtremeClean Washable fiber nanofilter Silent Power

- 12 gallon container
 Accessory holder
 Auto Start for Pneumatic/Electric tools
 • Speed control
 • MultiFit accessory system

TECHNICAL DATA	ATTIX 50	ATTIX 50 HEPA	ATTIX 50 AS/E	ATTIX 50 AS/E XC	ATTIX 50 AS/PE XC
Voltage / Frequency, V/Hz	120/60	120/60	120/60	120/60	120/60
Power, W	1000	1000	1000	1000	1000
Max. Air Flow, cfm	135	135	135	135	135
Max. Waterlift, in. H2O	92	92	92	92	92
Noise Level, dB(A)*	59	59	59	59	59
Container Volume, liters/gal.	47/12	47/12	47/12	47/12	47/12
L x W x H, inches	18x15x30	18x15x30	18x15x30	18x15x30	18x15x30
Shipping Weight, pounds	38.5	38.5	38.5	37.5	40
Electrical Approval * at working distance of 3 meters	ETL-C	ETL-C	ETL-C	ETL-C	ETL-C
Max. Power (tool outlet), watts	N/A	N/A	600	600	600
Standard Features					
Accessory/Tool Storage	Yes	Yes	Yes	Yes	Yes
Antistatic Hose	No	No	No	No	Yes
Cable Wrap	Yes	Yes	Yes	Yes	Yes
Filter Cleaning System	Push&Clean	Push&Clean	Push&Clean	XTREME Clean	XTREME Clean
SoftStart	Yes	Yes	Yes	Yes	Yes
Speed Control	No	No	Yes	Yes	Yes
Electric Tool Start	No	No	Yes	Yes	Yes
Standard Accessories					
Hose (dia x length), in. x ft.	1.5 x 10	1.5 x 10	1.5 x 10	1.5 x 10	1.25 x 16 Coaxial
Curved Wand	Chrome	Chrome	Stainless	Stainless	Optional
Extension Tube-2 pc.	Chrome	Chrome	Stainless	Stainless	Optional
Floor Nozzle - Combi	Yes	Yes	Optional	Optional	Optional
Metal Floor Nozzle	Optional	Optional	Yes	Yes	Optional
Crevice Nozzle	Yes	Yes	Optional	Optional	Optional
Brush Nozzle	Yes	Yes	Optional	Optional	Optional
Universal Nozzle	Yes	Yes	Optional	Optional	Optional
Tool Adapter	Optional	Optional	Optional	Optional	Yes
Filter Cartridge - Fleece	Yes	No	Yes	Yes	Yes
HEPA Filter	Optional	Yes	Optional	Optional	Optional
1 Filter Bag in can	Yes	Yes	Yes	No	No
1 Plastic Disposal Bag in can	No	No	No	Yes	Yes
Pneumatic Tool Start	N/A	N/A	Optional	Optional	Yes
Item Number	302004233	900131	302004234	302004235	900132

ATTIX 30 & 50

Nilfisk Advance America, Inc.

740 Hemlock Road • Suite 100 • Morgantown, PA 19543

Toll Free: 800-NILFISK (645-3475)

Fax: (610) 286-7350

Email: questions@nilfisk.com

Website: www.nilfiskaltovacuums.com



No claims can be made on the basis of information or illustrations contained in this catalog. Subject to alteration of technical data, design and equipment.

Distributed by:

